

AFFORDABLE

TURF & SPECIALTY TIRE





ABOUT US

From day one, Affordable Turf and Specialty Tire has been a family business, taking pride in their local communities. The company was founded in 1976 in Peoria, AZ by the Slagle Family.

In 1986, we purchased "Good Tires" in Goodyear, AZ, changed the name and eventually moved to our current location.

The Slagle family's two sons, Rob and Dan, are active in the operation of the business. The lessons they learned throughout life about customer service, coupled with their formal education, assures the continued success of the company for many years to come. Today, with a staff of more than forty well trained, caring people, the company is positioned to be a dominant factor in the markets it serves.





Achieva AR681

| Wheel Size And Finish | Offset | Part # |
|--------------------------------|--------|-----------------------|
| 10X7 4/4 Machined Black/Silver | -15MM | RMA10768154101.6BS |
| 10X7 4/4 Machined Blue/Silver | -15MM | RMA10768154101.6BLU |
| 10X7 4/4 Machined Red/Silver | -15MM | RMA10768154101.6RS |
| 10X7 4/4 Machined Gold/Silver | -15MM | RMA10768154101.6GS |
| 12X7 4/4 Machined Black/Silver | -25MM | RMA127681254101.6MB |
| 12X7 4/4 Machined Red/Silver | -25MM | RMA127681254101.6RS |
| 12X7 4/4 Machined Blue/Silver | -25MM | RMA127681254101.6BLU |
| 12X7 4/4 Machined Gold/Silver | -25MM | RMA127681254101.6GS |
| 12X7 4/4 Machined Black | -25MM | RMA127668254101.6MB |
| 12X7 4/4 Chrome | -25MM | RMA127668254101.6MSS |
| 14X6 4/4 Machined Blue/Silver | -25MM | RMA1466811254101.6BLU |
| 14X6 4/4 Machined Gold/Silver | -25MM | RMA1466811254101.6GS |
| 14X6 4/4 Machined Black | -25MM | RMA1466811254101.6MB |



Achieva AR588

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|----------------------|
| 12X7 4/4 Machined Black | -25MM | RMA1275882544MB |
| 12X7 4/4 Chrome | -25MM | RMA1275882544CRM |
| 14X6 4/4 Chrome | -25MM | RMA146588254101.6CRM |
| 14X6 4/4 Machined | -25MM | RMA146588254101.6MB |
| 15X6 4/4 Machined Black | -25MM | RMA1565882544BK |
| 15X6 4/4 Machined Blue | -25MM | RMA1565882544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565882544CRM |



Achieva AR538

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|--------------------|
| 12X7 4/4 Chrome | 0 | RMA127538044CRM |
| 12X7 4/4 Machined Black | 0 | RMA127538044MB |
| 14X7 4/4 Machined Black | -25MM | RMA1475384101.6MB |
| 14X7 4/4 Chrome | -25MM | RMA1475384101.6CRM |
| 15X6 4/4 Machined Black | -25MM | RMA1565382544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565382544CRM |



Achieva AR598

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 12X7 4/4 Machined Black | -25MM | RMA1275982544MB |
| 12X7 4/4 Chrome | -25MM | RMA1275982544CRM |
| 14X7 4/4 Machined Black | -25MM | RMA1475982544MB |
| 14X7 4/4 Chrome | -25MM | RMA1475982544CRM |
| 15X6 4/4 Machined Black | -25MM | RMA1565982544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565982544CRM |



Achieva AR138

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 12X7 4/4 Machined Black | 0 | RMA127138044MB |
| 12X7 4/4 Chrome | 0 | RMA127138044CRM |
| 14X7 4/4 Machined Black | -25MM | RMA1471382544MB |
| 14X7 4/4 Chrome | -25MM | RMA1471382544CRM |



Achieva AR558

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-------------------|
| 10X7 4/4 Machined Black | -15MM | RMA10755815544MB |
| 10X7 4/4 Chrome | -15MM | RMA10755815544CHR |
| 12X7 4/4 Chrome | 0 | RMA127558044CRM |
| 12X7 4/4 Machined Black | 0 | RMA127558044MB |
| 15X6 4/4 Machined Black | -25MM | RMA1565582544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565582544CRM |



Achieva AR682

| Wheel Size And Finish | Offset | Part # |
|--------------------------|--------|---------------------|
| 12X7 4/4 Machined Black | -25MM | RMA127682254101.6MB |
| 14X6 4/4 Machined Black | -25MM | RMA146682254101.6MB |
| 15X6 4/4 Machined Black | -25MM | RMA1565682544MB |
| 15X6 4/4 Machined Chrome | -25MM | RMA1565682544CRM |



Achieva 638

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 15X7 4/4 Machined Black | -25MM | RMA1576382544MB |
| 15X7 4/4 Chrome | -25MM | RMA1576382544CRM |



Achieva AR738

| Wheel Size And Finish | Part # |
|--------------------------------|------------------|
| 12X7 -25mm Machined Black | RMA1277382544MB |
| 12X7 -25mm Chrome | RMA1277382544CRM |
| 12X7 -25mm Gloss Black/Red Lip | RMA1277382544BR |
| 14X7 -25mm Machined Black | RMA1477382544MB |
| 14X7 -25mm Chrome | RMA1477382544CRM |
| 14X7 -25mm Gloss Black/Red Lip | RMA1477382544BR |
| 15X6 -25mm Machined Black | RMA1567382544MB |
| 15X6 -25mm Chrome | RMA1567382544CRM |
| 15X6 -25mm Gloss Black/Red Lip | RMA1567382544BR |



Achieva AR688

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 15X7 4/4 Machined Black | -25MM | RMA1576882544MB |
| 15X7 4/4 Chrome | -25MM | RMA1576882544CRM |



Achieva AR128

| Wheel Size And Finish | Offset | Part # |
|--------------------------------|--------|------------------|
| 14X6 4/4 Chrome | -25MM | RMA1461282544CRM |
| 14X6 4/4 Machined Black/Silver | -25MM | RMA1461282544MB |



Achieva AR508

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 15X6 4/4 Machined/Black | -25MM | RMA1565082544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565082544CRM |



Achieva AR218

| Wheel Size And Finish | Offset | Part # |
|-----------------------|--------|------------------|
| 12X7 4/4 Chrome | 0 | RMA127218044VCRM |



Achieva AR599

| Wheel Size And Finish | Part # |
|-------------------------------|-------------------|
| 12X7 -25MM 4/4 Machined Black | RMA1275992544MB |
| 12X7 -25MM 4/4 Chrome | RMA1275992544CRM |
| 15X6 -25MM 4/4 Machined Black | RMA1565992544MB |
| 15X6 -25MM 4/4 Machined Blue | RMA1565992544BLU |
| 15X6 -25MM 4/4 Machined Red | RMA1565992544RS |
| 15X6 -25MM 4/4 Machined Gold | RMA1565992544GOLD |



Achieva AR518

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 15X6 4/4 Machined Black | -25MM | RMA1565182544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565182544CRM |



Achieva AR528

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 15X6 4/4 Machined Black | -25MM | RMA1565282544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565282544CRM |



Achieva AR578

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 15X6 4/4 Machined Black | -25MM | RMA1565782544MB |
| 15X6 4/4 Chrome | -25MM | RMA1565782544CRM |



Achieva AR618

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|------------------|
| 15X7 4/4 Machined Black | -25MM | RMA1576182544MB |
| 15X7 4/4 Chrome | -25MM | RMA1576182544CRM |



Achieva AR718

| Wheel Size And Finish | Offset | Part # |
|--------------------------|--------|------------------|
| 12X7 4/4 Candy Red/Black | -25MM | RMA1277182544BR |
| 12X7 4/4 Chrome | -25MM | RMA1277182544CRM |
| 12X7 4/4 Machined Black | -25MM | RMA1277182544MB |
| 14X6 4/4 Red/Black | -25MM | RMA1467182544BR |
| 14X6 4/4 Chrome | -25MM | RMA1467182544CRM |
| 14X6 4/4 Machined Black | -25MM | RMA1467182544MB |
| 15X6 4/4 Red/Black | -25MM | RMA1567182544BR |
| 15X6 4/4 Chrome | -25MM | RMA1567182544CRM |
| 15X6 4/4 Machined Black | -25MM | RMA1567182544MB |



Arisun Model 56

| Wheel Size And Finish | Offset | Part # |
|-----------------------------------|--------|-------------------|
| 10X7 Glossy Black w/Machined Face | -15 | 56T-10741-15-BLKF |
| 12X7 Black w/Machined Face | -25 | 56U-12741-25-BLKF |
| 12X7 Black w/Machined Face | -25 | 56T-12741-25-BLKF |



Arisun Model 75

| Wheel Size And Finish | Offset | Part # |
|-----------------------------------|--------|-------------------|
| 10X7 Glossy Black w/Machined Face | -25 | 75T-10741-25-BLKF |
| 12X6 Glossy Black w/Machined Face | -25 | 75T-12641-25-BLKF |
| 14X7 Glossy Black w/Machined Face | -15 | 75T-14741-15-BLKF |



Arisun Model 74

| Wheel Size And Finish | Offset | Part # |
|--------------------------------------|--------|-------------------|
| 12X7 Glossy Black w/Machined Face | -25 | 74T-12741-25-BLKF |
| 12X7 Black Machined w/Red Clear Coat | -25 | 74T-12741-25-BKFR |
| 14X7 Glossy Black w/Machined Face | -15 | 74T-14741-15-BLKF |
| 14X7 Black Machined w/Red Clear Coat | -15 | 74T-14741-15-BKFR |



Arisun Model 57

| Wheel Size And Finish | Offset | Part # |
|---------------------------------------|--------|-------------------|
| 10X7 Full Glossy Black | -15 | 57T-10741-15-BLK |
| 10X7 Glossy Black w/Machined Face | -15 | 57T-10741-15-BLKF |
| 10X7 Gunmetal w/Machined Face | -15 | 57T-10741-15-GNMF |
| 12X7 Full Glossy Black | -25 | 57T-12741-25-BLK |
| 12X7 Glossy Black w/Machined Face | -25 | 57T-12741-25-BLKF |
| 12X7 Black Machined w/Blue Clear Coat | -25 | 57T-12741-25-BKFB |
| 12X7 Black Machined w/Red Clear Coat | -25 | 57T-12741-25-BKFR |
| 12X7 Gunmetal w/Machined Face | -25 | 57T-12741-25-GNMF |
| 12X7 Red w/Machined Face | -25 | 57T-12741-25-REDF |
| 14X7 Full Glossy Black | -25 | 57T-14741-25-BLK |
| 14X7 Glossy Black w/Machined Face | -25 | 57T-14741-25-BLKF |



Excel 101

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-----------|
| 10x7 4/4 Machined Black | ET-25 | 0709-031S |
| 12x6 4/4 Machined Black | ET-25 | 2606-031S |
| 14x7 4/4 Machined Black | ET-15 | 4702-031S |



Excel 102

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-----------|
| 10x7 4/4 Machined Black | ET-25 | 0725-031S |
| 10x7 4/4 Painted Black | ET-25 | 0725-032B |
| 12x7 4/4 Machined Black | ET-25 | 2740-031S |
| 12x7 4/4 Painted Black | ET-25 | 2740-032B |



Excel 103

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-----------|
| 10x7 4/4 Machined Black | ET-15 | 0726-031S |
| 12x7 4/4 Machined Black | ET-25 | 2741-031S |
| 14x7 4/4 Machined Black | ET-15 | 4717-031S |



Excel 104

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-----------|
| 10x7 4/4 Machined Black | ET-15 | 0731-031S |
| 12x7 4/4 Machined Black | ET-15 | 2754-031S |
| 14x7 4/4 Machined Black | ET-15 | 4735-031S |



Excel 105

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-----------|
| 14x7 4/4 Machined Black | ET-15 | 4728-031S |
| 14x7 4/4 Painted Black | ET-15 | 4723-038M |
| 12x7 4/4 Machined Black | ET-15 | 2752-031S |
| 12x7 4/4 Painted Black | ET-15 | 2747-038M |
| 10x7 4/4 Machined Black | ET-15 | 0734-031S |
| 10x7 4/4 Painted Black | ET-15 | 0734-032B |



Excel 106

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-----------|
| 10x7 4/4 Machined Black | ET-15 | 0732-031S |
| 10x7 4/4 Painted Black | ET-15 | 0732-032B |
| 12x7 4/4 Machined Black | ET-15 | 2735-031S |
| 12x7 4/4 Machined Black | ET-15 | 2735-032S |
| 14x7 4/4 Machined Black | ET-15 | 4712-031S |



Excel 107

| Wheel Size And Finish | Offset | Part # |
|-------------------------|--------|-----------|
| 10x7 4/4 Machined.Black | ET-25 | 0708-031S |
| 12x7 4/4 Machined.Black | ET-15 | 2702-031S |
| 14x7 4/4 Machined.Black | ET-15 | 4724-031S |



Excel Center Caps

| Wheel Size And Finish | Part # |
|-----------------------------|--------|
| SS Snap-In Cap Chromed | BNA-3C |
| SS Snap-In Cap Glossy.Black | BNA-3B |



ITP® SS112

- Strong, lightweight and distinctively different.
- Built using ITP's exclusive Advancecast process.
- Available in machined with black accents
- Heavy duty 12 inch wheel rated 700 lbs
- Custom SS wheel cap is included.
- Lifetime structural warranty. If you bend or break it, we will replace it.

| Wheel Size And Finish | Part # |
|-----------------------------|--------|
| 10x7 4/4 3+4 Machined/Black | 10SS34 |
| 12x7 4/4 3+4 Machined/Black | 12SS35 |
| 12x7 4/4 2+5 Machined/Black | 12SS34 |
| 12x7 4/4 2+5 Chrome | 12SS74 |
| 14X6 3+3 4/4 Machined/Black | 14SS34 |
| 14X6 3+3 4/4 Chrome | 14SS74 |



ITP® SS6B

| Wheel Size And Finish | Part # |
|-----------------------------|--------|
| 10x7 4/4 3+4 Machined/Black | 10C444 |



ITP® SS4M

| Wheel Size And Finish | Part # |
|------------------------|--------|
| 10x7 4/4, 3+4 Machined | 10C441 |



ITP® SS6M

| Wheel Size And Finish | Part # |
|-----------------------|--------|
| 10x7 4/4 3+4 Machined | 10C442 |



ITP® SS212

- Strong, lightweight and distinctively different.
- Built using ITP's exclusive Advancecast process.
- Available in Machined with black accents, and Matte Black.
- Custom SS wheel cap is included.
- Lifetime structural warranty. If you bend or break it, we will replace it.

| Wheel Size And Finish | Part # |
|-----------------------------|---------|
| 12x7 4/4 2+5 Machined/Black | 12SS304 |
| 12x7 4/4 2+5 Gloss Black | 12SS404 |
| 12x7 4/4 2+5 Chrome | 12SS504 |



ITP® Tornado

- Eight spoke center configuration with beveled edges as well as unmatched structural integrity for conquering challenging terrain
- 1200 lbs load rating
- Offers ITP® Exclusive ROCK ARMOR inner wheel lip to provide unequalled structural integrity
- Lifetime structural warranty - Bend it or break it ITP will replace it!
- Includes valve stem and center cap

| Wheel Size And Finish | Part # |
|-----------------------------------|--------|
| 14X7 2+5 4/4 Machined/Black Wheel | 14TN14 |



ITP® Cragar

| Wheel Size And Finish | Part # |
|--------------------------|------------|
| 10x7 4/4 Centered Chrome | 1022038402 |
| 12x7 4/4 3.5+3.5 Chrome | 1222039402 |
| 14x7 4/4 3.5+3.5 Chrome | 1422040402 |



ITP® SS316

- Proven to be the strongest, lightest, and best looking one piece aluminum wheels.
- Built using ITP's exclusive Advancecast process.
- Both wheels feature the all new "RockArmor" reinforced inner wheel lip
- Heavy duty 12 inch wheel rated 1000 lbs
- Custom SS wheel cap is included.
- Lifetime structural warranty. If you bend or break it, we will replace it.

| Wheel Size And Finish | Part # |
|--------------------------|---------|
| 12x7 4/4 2+5 Matte Black | 12SB904 |



ITP® SS216

- Proven to be the strongest, lightest, and best looking one piece aluminum wheels.
- Built using ITP's exclusive Advancecast process.
- Both wheels feature the all new "RockArmor" reinforced inner wheel lip
- Heavy duty 12 inch ATV wheel rated 1000 lbs
- Custom SS wheel cap is included.
- Lifetime structural warranty. If you bend or break it, we will replace it.

| Wheel Size And Finish | Part # |
|--------------------------|---------|
| 12x7 4/4 2+5 Matte Black | 12SB804 |



ITP® Hurricane

- The first ITP wheel in the new "Storm Series" product line.
- Features eight sets of X-shaped wheel spokes.
- Offers ITP Exclusive "Rock Armor" inner wheel lip to provide unequalled structural integrity.
- Unique automotive-like center design
- Lifetime Structural Warranty

| Wheel Size And Finish | Part # |
|---------------------------------|---------|
| 12x7 4/4 2+5 Matte Black | 12HR114 |
| 12x7 4/4 3.5+3.5 Matte Black | 12HR115 |
| 12x7 4/4 2+5 Machined/Black | 12HR214 |
| 12x7 4/4 3.5+3.5 Machined/Black | 12HR215 |

| | |
|--|---------|
| 14X7 2+5 4/4 Matte Black Wheel | 14HR114 |
| 14X7 3.5+3.5 4/4 Matte Black Wheel | 14HR115 |
| 14X7 2+5 4/4 Machined/Black Wheel | 14HR214 |
| 14X7 3.5+3.5, 4/4 Machined/Black Wheel | 14HR215 |



ITP® SS312

- One of the strongest, lightest, and best looking one piece aluminum wheels on the market.
- Features a stealthy matte black finish with bright, diamond cut machined accents topped with a tough clear coat.
- Heavy duty 12" ATV wheels are rated at 700 pounds and the 14" applications are rated at 800 pounds.
- Lifetime structural warranty! If you bend or break it, we will replace it.
- Custom SS wheel cap is included.

| Wheel Size And Finish | Part # |
|--------------------------|---------|
| 12x7 4/4 2+5 Matte Black | 12SS704 |

| | |
|-----------------------------|---------|
| 14X6 3+3 4/4 Machined/Black | 14SS704 |
|-----------------------------|---------|



Innova Caymen AT IA-8028

- Designed to get things done over any type of terrain.
- All Trails tread pattern rides smoothly on pavement and off road.
- Diamond side lugs for digging out of ruts and over rough obstacles.
- Double cut micro knurling on shoulder tread for added traction.
- Original equipment replacement tire for popular side by side vehicles or lifted golf cars.

| Tire Size | Ply | Load Rating | Part # |
|------------|-------|-------------|--------------|
| 22.5X10-8 | 4 ply | 1320 lbs | 2251088028-4 |
| 25X13-9 | 4 ply | 1650 lbs | 251398028-4 |
| 22X9.5-10 | 4 ply | 980 lbs | 2295108028-4 |
| 22X11-10 | 4 ply | 1200 lbs | 2211108028-4 |
| 24X10.5-10 | 4 ply | 1340 lbs | 24108028-4 |
| 23X10.5-12 | 4 ply | 1340 lbs | 23128028-4 |
| 23x10-14 | 4 ply | 1500 lbs | 23148028-4 |
| 23x10.5-15 | 4 ply | 1320 lbs | 23158028-4 |



Innova Driver IA-8018

- The perfect choice for vehicles that carry passengers for transport or Carryall Utility Vehicles that are used for grounds maintenance, that require higher load capacity, and extended service life.
- Double Eagle style tread is golf course approved.
- Reinforced carcass for added stability.
- Rounded shoulder is turf friendly.
- D.O.T. rated for street
- Multiple applications from trailer to golf carts.

| Tire Size | Ply | Load Rating | Part # |
|-------------|-------|-------------|-------------|
| 16.5X6.50-8 | 4 ply | 615 lbs | 16588018-4 |
| 16.5X6.50-8 | 6 ply | 785 lbs | 16588018-6 |
| 18.5X8.50-8 | 4 ply | 770 lbs | 18588018-4 |
| 18.5X8.50-8 | 6 ply | 940 lbs | 18588018-6 |
| 20.5X8-10 | 4 ply | 905 lbs | 205108018-4 |
| 20.5X8-10 | 6 ply | 1105 lbs | 205108018-6 |



Innova Driver Pro IA-8018

- 14" & 15" sizes are Premium Golf Tires with radial construction that offer lower rolling resistance, a wide foot print, DOT rated for street and golf course approved for turf.
- Two new sizes to choose from in 205/40R-14 or go big with 205/35R-15!
- New 15" size is setting a new standard and fashion trend for custom Golf Cars.
- Go big and show off your ride with Achieva Alloy Wheels mounted on Innova Driver.

| Tire Size | Ply | Load Rating | Part # |
|------------|-------|-------------|--------------|
| 205/50-10 | 4 ply | 665 lbs | 2055010818-4 |
| 215/35-12 | 4 ply | 665 lbs | 215128018-4 |
| 215/50-12 | 4 ply | 910 lbs | 2155012818-4 |
| 205/40R-14 | 4 ply | 665 lbs | 205148018-4 |
| 205/35R-15 | 4 ply | 665 lbs | 205158018-4 |



Arisun Lightning AT

- DOT approved
- Gentle on turf and grass while giving you great street traction
- Turf Safe

| Tire Size | Ply | Tread Depth | Part # |
|-----------|-------|-------------|---------------|
| 20x10-10 | 6 ply | 10.0 in | AT24-20x10-10 |
| 23x10-12 | 6 ply | 10.0 in | AT24-23x10-12 |
| 23x10-14 | 6 ply | 10.0 in | AT24-23x10-14 |



Arisun Cruze

- Smooth, rides quiet
- Non directional tread pattern.
- Lightweight carcass
- DOT approved
- Turf Safe

| Tire Size | Ply | Tread Depth | Part # |
|-----------|-------|-------------|----------------|
| 205/50-10 | 4 ply | 9.5 mm | ST21-205/50-10 |
| 205/65-10 | 4 ply | 9.5 mm | ST21-205/65-10 |
| 22x10-10 | 4 ply | 9.5 mm | ST21-22x10-10 |
| 215/35-12 | 4 ply | 9.5 mm | ST21-215/35-12 |
| 205/30-14 | 4 ply | 9.5 mm | ST21-205/30-14 |
| 205/30-12 | 4 ply | 9.5 mm | ST21-205/30-12 |
| 215/50-12 | 4 ply | 9.5 mm | ST21-215/50-12 |



Arisun X-Trail AT

- All terrain golf cart tire
- Excellent traction in both wet and dry conditions on most trails (gravel, dirt, etc)

| Tire Size | Ply | Tread Depth | Part # |
|------------|-------|-------------|-----------------|
| 20x10-10 | 4 ply | 14 mm | AT06-20x10-10 |
| 22x11-10 | 4 ply | 14 mm | AT06-22x11-10 |
| 23x10.5-12 | 6 ply | 14 mm | AT06-23x10.5-12 |
| 23x10-14 | 4 ply | 14 mm | AT06-23x10-14 |



ITP® All Trail XLT

- 4-Ply rated
- Ultra smooth ride
- Lightweight
- Long-wearing rubber compound

| Tire Size | Ply | Part # |
|-----------|-----|----------|
| 20-10-10 | 4 | 5000596 |
| 22-10-10 | 4 | 5000606 |
| 23-10-12 | 4 | 50000616 |
| 23-10-14 | 4 | 5000866 |



205-50-10

205-30-12

205-30-14

ITP® GT Ultra

- 4-Ply rated and DOT approved
- Ultra smooth ride
- Lightweight
- Long-wearing rubber compound

| Tire Size | Ply | Part # |
|-----------|-------|---------|
| 205/50-10 | 4 ply | 5000796 |
| 205/30-12 | 4 ply | 5000816 |
| 215/40-12 | 4 ply | 5000856 |
| 205/30-14 | 4 ply | 5000826 |



Excel Golf Pro

- Original Equipment replacement size
- Street or Golf Course
- DOT for street legal use
- Economical
- Quiet operation

| Tire Size | Ply | Weight | Part # |
|-----------|-------|---------|----------|
| 18x8.50-8 | 4 ply | 8.6 lbs | 0884-315 |
| 18x8.50-8 | 4 ply | | 0874-315 |



Excel Golf Pro II

- Low profile metric sizing
- Street or Golf Course
- DOT for street legal use
- Smooth Ride
- Quiet operation

| Tire Size | Ply | Weight | Part # |
|-----------|-------|---------|----------|
| 205/50-10 | 4 ply | 9.7 lbs | 1052-315 |
| 205/30-12 | 4 ply | 9.2 lbs | 1234-315 |



Excel ATX Trail

- Light weight all purpose tread
- Street, Dirt or Turf
- DOT for street legal use
- Smooth Ride
- Quiet operation

| Tire Size | Ply | Part # |
|-------------|-------|----------|
| AT 20x10-10 | 4 ply | 1000-371 |
| AT 22x10-10 | 4 ply | 1020-371 |
| AT 23x11-10 | 6 ply | 1033-371 |
| AT 23x10-12 | 4 ply | 1230-371 |
| AT 25x10-12 | 4 ply | 1252-371 |
| AT23x10-14 | 4 ply | 1430-371 |



Excel Endura

- Low profile metric sizing
- Street or Golf Course
- DOT for street legal use
- Smooth Ride
- Quiet operation

| Tire Size | Ply | Weight | Part # |
|-------------------------|-------|---------|----------|
| 205/50-10 | 4 ply | 9.2lbs | 1056-315 |
| 255/50-10 (22X11-10) | 4 ply | 14.3lbs | 1058-315 |
| 205/30-12 | | 9.9lbs | 1236-315 |
| 215/40-12 | 4 ply | 12.1lbs | 1254-315 |
| 205/30-14 | 4 ply | 11.0lbs | 1436-315 |



Excel Sahara Classic

- All Terrain tread
- On or Off the Road
- DOT for street legal use
- Smooth Ride

| Tire Size | Ply | Weight | Part # |
|------------|-------|----------|----------|
| 18X9.50-8 | 4 ply | 10.8 lbs | 0894-618 |
| 22X11-8 | 4 ply | 15.6 lbs | 0824-618 |
| 18X9.50-10 | 4 ply | 10.6 lbs | 1094-618 |
| 20X10-10 | 4 ply | 15.0 lbs | 1002-618 |
| 22X10-10 | 4 ply | 15.4 lbs | 1020-618 |
| 22X11-10 | 4 ply | 15.6 lbs | 1024-618 |
| 22X11-12 | 4 ply | 15.6 lbs | 1224-618 |
| 23X10-12 | 4 ply | 18.0 lbs | 1234-618 |
| 23X10-14 | 4 ply | 18.5 lbs | 1430-618 |



Excel Classic

- Low profile for that "Classic" look
- On the Street or on the Course
- DOT for street legal use
- Smooth Ride
- Quiet Operation

| Tire Size | Ply | Weight | Part # |
|-------------------------|-------|----------|----------|
| 215/60-8 | 4 ply | 9.9 lbs | 0856-618 |
| 205/50-10 | 4 ply | 11.7 lbs | 1056-618 |
| 205/50-10 | 6 ply | 12.3 lbs | 1050-618 |
| 255/50-10 (22X11-10) | 4 ply | 14.7 lbs | 1058-618 |
| 205/65-10 | 4 ply | 11.2 lbs | 1052-618 |
| 205/65-10 | 6 ply | 11.7 lbs | 1054-618 |
| 215/40-12 | 4 ply | 9.9 lbs | 1254-618 |
| 215/50-12 | 4 ply | 13.2 lbs | 1250-618 |
| 205/30-12 | 4 ply | 11.2 lbs | 1236-618 |
| 255/50-12 | 4 ply | 14.7 lbs | 1258-618 |
| 205/40-14 | 4 ply | 13.6 lbs | 1454-618 |



Excel Street Fox Radial

- Lightweight aggressive RADIAL CONSTRUCTION
- Large footprint for superior traction and handling
- Street or Golf Course
- DOT for street legal use
- Smooth Ride and quiet operation

| Tire Size | Ply | Weight | Part # |
|-------------------------|-------|----------|----------|
| 20X10.00R10 (245/50R10) | 4 ply | 16.9 lbs | 1000-661 |
| 22X11.00R10 (260/60R10) | 4 ply | 19.5 lbs | 1021-661 |
| 245/50R12 | 4 ply | 18.1 lbs | 1256-661 |
| 23X10.00R12 (245/55R12) | 4 ply | 20.4 lbs | 1230-661 |
| 205/40R14 (20x8.0R14) | 4 ply | 15.3 lbs | 1408-661 |
| 23X10.00R14 (245/50R14) | 4 ply | 22.2 lbs | 1432-661 |
| 23x11R10 | 6 ply | 16.9 lbs | 1031-661 |
| AT 25x8R12 (200/80R12) | 4 ply | 19.5 lbs | 1252-661 |
| AT25x10R12 (245/65R12) | 4 ply | 18.1 lbs | 1254-661 |

WANDA TIRES



Wanda GFX P825

- Wanda GFX tires offer a lightweight, smooth-riding, all purpose tread at a great price.
- 4 ply carcass
- DOT Approved Spec
- High Load ratings

| Tire Size | Ply | Load Rating | Part # |
|-----------|-----|-------------|-------------|
| 205/65-10 | 4 | 910@35psi | P8252056510 |
| 215/40-12 | 4 | 760@35psi | P8252154012 |
| 215/50-12 | 4 | 800@30psi | P8252155012 |
| 23-10-12 | 4 | 800@20psi | P825231012 |



Wanda Knobby P322

- Provides versatility for a mix of terrains
- Enhanced Performance for most conditions
- 4 ply design

| Tire Size | Ply | Part # |
|-----------|-----|------------|
| 18-9.50-8 | 4 | P322189508 |



Wanda Sport P340

- Industry Leading Materials
- Fusion of well balanced design
- Safe comfortable ride
- 4 ply design

| Tire Size | Ply | Part # |
|-----------|-----|----------|
| 18-8.00-8 | 4 | P3401888 |



Wanda Turf P332

- Industry Leading Materials
- Fusion of well balanced design
- Safe comfortable ride
- 4 ply design

| Tire Size | Ply | Part # |
|-----------|-----|------------|
| 18-8.50-8 | 4 | P332188508 |



Wanda Lug P311

- Industry Leading Materials
- Fusion of well balanced design
- Safe comfortable ride
- 4 ply design

| Tire Size | Ply | Part # |
|-----------|-----|------------|
| 18-9.50-8 | 4 | P311189508 |



Wanda P3077

- 8 ply Design
- Specially designed for this market

| Tire Size | Ply | Part # |
|-----------|-----|-------------|
| 23-11-10 | 8 | P3077231110 |



Turf Saver

- With its classic square shouldered design, the Turf Saver tire is the market leader for residential riding lawn mowers worldwide.
- The at prole and chevron tread provide excellent traction. Its turf-friendly design and breadth of line make it versatile in both application and tment.

| Tire Size | Ply | Brand | Part # |
|-------------|-----|------------|----------|
| 9x3.5-4 | 4 | Carlisle | 5110111 |
| 4.10/3.5-4 | 4 | Deestone | DS7011 |
| 410-4 | 2 | Carlisle | 5110251 |
| 11x4.00-4 | 2 | Carlisle | 5110271 |
| 11x4.00-4 | 4 | Deestone | DS7012 |
| 11x4.00-5 | 2 | Carlisle | 5110101 |
| 11x4.00-5 | 4 | Deestone | DS7016 |
| 13x5.00-6 | 4 | Deestone | DS7021 |
| 13x5.00-6 | 4 | Carlisle | 5110211 |
| 13x6.50-6 | 4 | Carlisle | 5111861 |
| 13x6.50-6 | 4 | Deestone | DS7029 |
| 15x6.00-6 | 2 | Trelleborg | 1169900 |
| 15x6.00-6 | 4 | Carlisle | 5112501 |
| 15x6.00-6 | 4 | Deestone | DS7008 |
| 480/400-8 | 2 | Carlisle | 5110951 |
| 480/400-8 | 4 | Carlisle | 5110961 |
| 16x6.50-8 | 2 | Deestone | DS7031 |
| 16x6.50-8 | 4 | Carlisle | 5112001 |
| 16x6.50-8 | 4 | Deestone | DS7035 |
| 16x7.50-8 | 2 | Carlisle | 5110991 |
| 16x7.50-8 | 4 | Deestone | 0882-917 |
| 18x6.50-8 | 4 | Carlisle | 5110991 |
| 18x6.50-8 | 4 | Deestone | 0882-917 |
| 18x7.50-8 | 4 | Carlisle | 5111021 |
| 18x8.50-8 | 4 | Carlisle | 5110711 |
| 18x8.50-8 | 4 | Deestone | 0884-917 |
| 18x9.50-8 | 4 | Carlisle | 6L05011 |
| 18x9.50-8 | 6 | Carlisle | 511082 |
| 18x9.50-8 | 4 | Deestone | DS7039 |
| 20x8.00-8 | 2 | Carlisle | 5110801 |
| 20x8.00-8 | 4 | Deestone | DS7041 |
| 20x10.00-8 | 2 | Carlisle | 5111011 |
| 20x10.00-8 | 4 | Trelleborg | 1194800 |
| 20x10.00-8 | 4 | Deestone | DS7043 |
| 20x8.00-10 | 4 | Carlisle | 5111111 |
| 20x10.00-10 | 4 | Carlisle | 5111161 |
| 20x10.00-10 | 4 | Deestone | 1004-917 |
| 23x8.50-12 | 2 | Carlisle | 511090 |
| 23x8.50-12 | 4 | Deestone | DS7047 |
| 23x9.50-12 | 2 | Carlisle | 511100 |
| 23x9.50-12 | 4 | Deestone | DS7081 |
| 23X10.50-12 | 4 | Carlisle | 511121 |
| 23X10.50-12 | 4 | Deestone | 1214-917 |
| 23X10.50-12 | 6 | Trelleborg | 1444000 |
| 24X12.00-12 | 2 | Carlisle | 511075 |
| 24X12.00-12 | 4 | Deestone | DS7051 |
| 26X12.00-12 | 6 | Deestone | DS7085 |



Multi Track Tires

- Multi-Trac C/S professional grade tires feature our most durable compound with deep tread lugs in a prole optimized for stability and traction.

| Tire Size | Ply | Brand | Part # |
|-------------|-----|----------|--------------|
| 16x6.50-8 | 6 | BKT | 94012367 |
| 18x8.50-8 | 4 | Carlisle | 5743311 |
| 18x8.50-8 | 8 | Carlisle | 574365 |
| 18x9.50-8 | 6 | Carlisle | 574399 |
| 20x8.00-8 | 2 | Carlisle | 574359 |
| 20x10.00-8 | 4 | Carlisle | 574341 |
| 20x10.00-8 | 4 | Achieva | 201088031-4 |
| 20x10.00-8 | 6 | BKT | 94012497 |
| 18x8.50-10 | 4 | BKT | 94027637 |
| 18x8.50-10 | 4 | Carlisle | |
| 18x10.50-10 | 4 | Carlisle | |
| 20x10.00-10 | 4 | Carlisle | 574362 |
| 20x10.00-10 | 4 | Achieva | 2010108031-4 |
| 20x10.00-10 | 6 | Carlisle | 5743C2 |
| 20x10.00-10 | 6 | BKT | 94012459 |
| 23x8.50-12 | 4 | Carlisle | 574301 |
| 23x8.50-12 | 6 | Carlisle | 574372 |
| 23x8.50-12 | 6 | BKT | 94012602 |
| 23x9.50-12 | 4 | Carlisle | 574329 |
| 23x10.50-12 | 6 | Carlisle | 574353 |
| 24x9.50-12 | 4 | Carlisle | 574338 |
| 24x12.00-12 | 4 | Carlisle | 574352 |
| 25x11.00-12 | 4 | Carlisle | 574369 |
| 26x12.00-12 | 4 | Carlisle | 5743611 |
| 26x12.00-12 | 6 | Carlisle | 5743771 |
| 26x12.00-12 | 8 | BKT | 94012671 |
| 26x14.00-12 | 4 | Carlisle | 5743W7 |
| 24x8.50-14 | 4 | Carlisle | 574324 |
| 25x8.50-14 | 6 | Carlisle | 574371 |
| 25x8.50-14 | 6 | BKT | 94036622 |
| 27x8.50-15 | 4 | Carlisle | 574348 |
| 27x8.50-15 | 6 | Carlisle | 574356 |
| 27x8.50-15 | 4 | BKT | 940225671 |
| 27x10.50-15 | 4 | Carlisle | 5743H6 |
| 27x10.50-15 | 4 | BKT | 94029822 |
| 29x12.50-15 | 6 | Carlisle | 560454 |
| 29x12.50-15 | 10 | Carlisle | 560478 |
| 31x13.50-15 | 4 | Carlisle | 560362 |
| 36x14.00-15 | 4 | Carlisle | 560361 |
| 38x14.00-20 | 4 | BKT | 94012749 |
| 41x14.00-20 | 4 | Carlisle | 570083 |



Turf Smart Tires

- The Turf Smart tire provides traction, turf protection and durability for all of your grounds care needs.
- Traction is enhanced through an innovative tread design featuring a self-cleaning Groove Ejection System which helps to keep the tread pattern fully engaged with the turf
- This provides consistent performance required by grounds care professionals.

| Tire Size | Ply | Brand | Part # |
|-------------|-----|----------|---------|
| 18X8.50-8 | 4 | Carlisle | 6L01801 |
| 20X10.00-8 | 4 | Carlisle | 6L01771 |
| 18X8.50-10 | 4 | Carlisle | 6L01791 |
| 20X8.00-10 | 4 | Carlisle | 6L01781 |
| 20X10.00-10 | 4 | Carlisle | 6L01761 |
| 22X11.00-10 | 4 | Carlisle | 6L01751 |
| 22X9.50-12 | 4 | Carlisle | 6L0162 |
| 23X9.50-12 | 4 | Carlisle | 6L0161 |
| 23X10.50-12 | 4 | Carlisle | 6L0160 |
| 24X9.50-12 | 4 | Carlisle | 6L0159 |
| 24X12.00-12 | 4 | Carlisle | 6L0055 |
| 26X12.00-12 | 4 | Carlisle | 6L0220 |



Turf Master Tires

- Professional grade tires feature our most durable compound w/deep tread lugs in a prole optimized for stability & traction.

| Tire Size | Ply | Brand | Part # |
|-------------|-----|----------|-------------|
| 13X6.50-6 | 4 | Carlisle | 5112491 |
| 15X6.00-6 | 4 | Carlisle | 5112521 |
| 15X6.50-8 | 4 | Carlisle | 6L03071 |
| 16X6.50-8 | 4 | Carlisle | 5114011 |
| 16X7.50-8 | 4 | Carlisle | 5114021 |
| 18X6.50-8 | 4 | Carlisle | 5114171 |
| 18X8.50-8 | 4 | Carlisle | 5114041 |
| 18X9.50-8 | 4 | Carlisle | 5114131 |
| 20X10.00-8 | 4 | Carlisle | 5114051 |
| 20X10.00-10 | 4 | Carlisle | 5114161 |
| 22x10.00-10 | 4 | Carlisle | 511256 |
| 22x11.00-10 | 4 | Carlisle | 5112551 |
| 22x9.50-12 | 4 | Carlisle | 511433 |
| 23x8.50-12 | 4 | Carlisle | 511419 |
| 23x8.50-12 | 6 | Achieva | 2385128031 |
| 23x9.50-12 | 4 | Carlisle | 511406 |
| 23x10.50-12 | 4 | Carlisle | 5114081 |
| 23x10.50-12 | 6 | Achieva | 23105128031 |
| 24x9.50-12 | 4 | Carlisle | 511434 |
| 24x12.00-12 | 4 | Carlisle | 5114091 |
| 24x12.00-12 | 4 | Deestone | 1242-916 |
| 24x12.00-12 | 6 | Achieva | 2412128031 |
| 26x12.00-12 | 6 | Achieva | 2612128031 |



Industrial Trax Tires

- Industrial Trax tire is designed for hard surface utility vehicle applications such as concession vehicles on golf courses.

| Tire Size | Ply | Brand | Part # |
|-------------|-----|----------|--------|
| 20x10.00-10 | 4 | Carlisle | 599581 |
| 23x10.50-12 | 4 | Carlisle | 599045 |
| 25x8.50-12 | 6 | Carlisle | 560445 |
| 25x10.50-12 | 6 | Carlisle | 560446 |



Turf Saver II Tires

- Modied version of the Turf Saver. It features a round shoulder prole and is designed for use on residential riding lawn mowers.
- Commonly used for towable lawn carts, spreaders, sprayers and other mower attachments.

| Tire Size | Ply | Brand | Part # |
|-----------|-----|----------|---------|
| 13X5.00-6 | 2 | Carlisle | 5112201 |
| 15X6.00-6 | 2 | Carlisle | 5112301 |
| 16X6.50-8 | 2 | Carlisle | 5112951 |
| 18X8.50-8 | 2 | Carlisle | 5112701 |
| 18X9.50-8 | 2 | Carlisle | 511284 |
| 20X8.00-8 | 2 | Carlisle | 5112801 |



Turf Trac RS Tires

- The Turf Trac R/S tire offers all-around best performance in our residential product line. Applications include grounds care equipment, zero turn mowers and utility vehicles.

| Tire Size | Ply | Brand | Part # |
|--------------|-----|----------|--------------|
| 11X4.00-5 | 2 | Carlisle | 5753331 |
| 15X6.00-6 | 4 | Carlisle | 5753191 |
| 15X6.00-6 | 4 | Deestone | DS7055 |
| 16X6.50-8 | 4 | Carlisle | 6L02651 |
| 16X6.50-8 | 4 | Deestone | 0864-918 |
| 18X7.50-8 | 4 | Deestone | DS7060 |
| 18X8.50-8 | 4 | Carlisle | 5753311 |
| 18X8.50-8 | 4 | Deestone | DS7056 |
| 18X9.50-8 | 4 | Deestone | DS7063 |
| 20X10.00-8 | 4 | Carlisle | 5753411 |
| 20X10.00-8 | 6 | BKT | 940112848 |
| 20X10.00-8 | 4 | Deestone | 0814-918 |
| 22.5X10.00-8 | 4 | Carlisle | 5753B7 |
| 22.5X10.00-8 | 4 | Achieva | 2251055030-4 |
| 25X12.00-9 | 4 | Carlisle | 50D3T7 |
| 20X10.00-10 | 4 | Achieva | 251298030-4 |
| 20X10.00-10 | 4 | Carlisle | 50D362 |
| 20X10.00-10 | 6 | Deestone | DS7067 |
| 20X12.00-10 | 4 | Carlisle | 5753151 |
| 20X12.00-10 | 4 | BKT | 94012855 |
| 22X9.50-10 | 4 | Carlisle | 5753N11 |
| 22X9.50-10 | 4 | Achieva | 2295108030-4 |
| 22.5X10.00-8 | 4 | Achieva | 2251088030-4 |
| 24X9.50-10 | 4 | Carlisle | 5753P2 |
| 24X12.00-10 | 4 | Carlisle | 5753A61 |
| 24X12.00-10 | 4 | Achieva | 2412108030-4 |
| 23X10.50-12 | 4 | Carlisle | 5753671 |
| 23X10.50-12 | 4 | Deestone | DS7069 |
| 24X12.00-12 | 6 | Carlisle | 575390 |
| 26X12.00-12 | 10 | Carlisle | 50D363 |



Ultra Trac & Turf CTR

- Ultra Trac tire most often utilized on golf and grounds maintenance equipment.
- The Turf CTR tire is a broad shouldered, low impact tire used on professional ZTR mowers when treading lightly is critical.

| Tire Size | Brand | Part # |
|---------------|----------|-----------|
| 24x13.00-12 | Carlisle | 529368 |
| 24x13.00-12 | Carlisle | 529387 |
| 24x13.00-12 | BKT | 94012879 |
| 26.5X14.00-12 | Carlisle | 529386 |
| 26.5X14.00-12 | BKT | 940112893 |
| 29X14.00-15 | Carlisle | |
| 22x11.00-8 | Carlisle | 511501 |



Sawtooth Tires

- The Sawtooth tire delivers smooth rolling performance for utility based equipment.
- Commonly used for wheelbarrows, pressure washers, generators, hand trucks and lawn equipment.

| Tire Size | Ply | Brand | Part # |
|-----------|-----|-----------|---------|
| 280-4 | 4 | Carlisle | 5190011 |
| 410/350-4 | 4 | Carlisle | 5190261 |
| 410/350-4 | 4 | Deestone | DS7200 |
| 340/300-5 | 4 | Carlisle | 519016 |
| 410-5 | 2 | Carlisle | 5910301 |
| 410/350-6 | 4 | Carlisle | 5190361 |
| 530/450-6 | 6 | Carlisle | 519067 |
| 480-8 | 6 | Deestone | DS7251 |
| 480-8 | 6 | Greenball | T0856C |
| 570-8 | 6 | Deestone | DS7256 |
| 570-8 | 6 | Greenball | T0864C |



Smooth Tread Tires

- Tapered edges to facilitate easy swivel action without turf damage.
- Contains specially formulated rubber compounds for durability.

| Tire Size | Ply | Brand | Part # |
|-------------|-----|----------|--------------|
| 8x3.00-4 | 4 | Carlisle | 5120081 |
| 9X3.50-4 | 4 | Carlisle | 5120101 |
| 11X4.00-5 | 4 | Carlisle | 5120111 |
| 13X5.00-6 | 4 | Carlisle | 5120211 |
| 13X6.50-6 | 4 | Carlisle | 5121861 |
| 480-8 | 4 | Carlisle | 5120511 |
| 18X9.50-8 | 4 | Carlisle | 5109811 |
| 18X9.50-8 | 4 | Achieva | 1895082886-4 |
| 18x10.50-10 | 4 | Carlisle | 6L0149 |
| 18x10.50-10 | 2 | BKT | 94013050 |
| 19x10.50-8 | 2 | Toro | 708500TORO |
| 19x10.50-8 | 4 | Achieva | 1910582886-4 |
| 20x10.00-10 | 2 | Carlisle | 586325 |
| 20x10.00-10 | 6 | BKT | 94013043 |
| 21x10.50-10 | 2 | Achieva | 21102886 |
| 24x13.00-12 | 4 | Carlisle | 510710 |



Carlisle AT489 Tires

- Great shock absorption capabilities.
- Outstanding traction for both 2WD and 4WD applications.

| Tire Size | Ply | Brand | Part # |
|------------|-----|----------|---------|
| 22X10-10 | 3 | Carlisle | 5370461 |
| 22X9.50-10 | 3 | Carlisle | 5793N1 |
| 22X11-10 | 3 | Carlisle | 5893V0 |
| 23X8-10 | 3 | Carlisle | 589326 |
| 23X10-10 | 3 | Carlisle | 589327 |
| 24X11-10 | 3 | Carlisle | 589305 |
| 25X11-10 | 3 | Carlisle | 589308 |
| 23X8-11 | 3 | Carlisle | 589304 |
| 24X8-11 | 3 | Carlisle | 589332 |
| 24X9-11 | 3 | Carlisle | 5893A9 |
| 24X10-11 | 3 | Carlisle | 589328 |
| 23X8-12 | 3 | Carlisle | 589329 |
| 23X10-12 | 3 | Carlisle | 589330 |
| 24X8-12 | 3 | Carlisle | 589337 |
| 24X9-12 | 3 | Carlisle | 589342 |
| 24X11-12 | 3 | Carlisle | 589344 |
| 25X10-12 | 3 | Carlisle | 589335 |
| 25X11-12 | 4 | Carlisle | 589351 |
| 27X9-12 | 6 | Carlisle | 560470 |



Carlisle All Trail II

- Designed specifically for use on hard surface and paved applications.
- Offers a smooth ride, more responsive handling and extra long life on hard surfaces compared to a standard knobby tire.

| Tire Size | Ply | Brand | Part # |
|-------------|-----|----------|--------|
| 22x9.50-10 | 4 | Carlisle | 55A3N1 |
| 24X9.50-10 | 4 | Carlisle | 55A3P2 |
| 24X10.50-10 | 4 | Carlisle | 55Z3N9 |
| 20X10.00-8 | 4 | Carlisle | 510043 |
| 20X10.00-10 | 4 | Carlisle | 510045 |
| 22X10.00-8 | 4 | Carlisle | 510044 |
| 22X11.00-10 | 6 | Carlisle | 510016 |
| 23X8.00-12 | 4 | Carlisle | 511506 |
| 23X10.50-12 | 4 | Carlisle | 511505 |
| 25X8.00-12 | 4 | Carlisle | 511507 |
| 25X10.50-12 | 4 | Carlisle | 511508 |



Turf Tires

- The Straight Rib tire is designed with tread grooves to channel moisture away from the contact patch and provides a slight lateral traction which can be helpful when traversing mild inclines.
- The Wheelbarrow tire is a versatile utility tire. Its rib design provides lateral traction. This tire is an excellent choice for lawn carts, spreaders and wheelbarrows.
- Super Lug tires are most often found on garden tractors, tillers and trenchers. This powerful line is the right choice whenever the application requires substantial traction.
- The HD Field Trax tire features a wide prole providing stability on hard-packed surfaces. With its non-directional tread pattern and long-lasting construction. Delivers a smooth and comfortable ride while resisting cut, chips and abrasions

| Tread | Tire Size | Ply | Brand | Part # |
|-------|-------------|-----|----------|----------|
| Rib | 13x6.50-6 | 4 | Carlisle | 5181861 |
| Rib | 13x6.50-6 | 4 | Deestone | DS7219 |
| Rib | 15x6.00-6 | 4 | Carlisle | 5180311 |
| Rib | 15x6.00-6 | 6 | Deestone | DS7227 |
| Rib | 13x5.00-6 | 4 | Deestone | DS7211 |
| Rib | 16x6.50-8 | 4 | Carlisle | 5180961 |
| Rib | 16x6.50-8 | 6 | BKT | 94013005 |
| Rib | 16x6.50-8 | 4 | Deestone | DS7221 |
| Rib | 18x9.50-8 | 4 | Carlisle | 518081 |
| Rib | 20x10.00-10 | 4 | Carlisle | 5181161 |
| Rib | 20x10.00-10 | 4 | BKT | 94026128 |
| Rib | 26x12.00-12 | 4 | Carlisle | 518711 |

| | | | | |
|-------------|-----------|---|----------|---------|
| Wheelbarrow | 400-6 | 2 | Carlisle | 5134371 |
| Wheelbarrow | 400-6 | 4 | Deestone | DS7147 |
| Wheelbarrow | 480/400-8 | 4 | Deestone | DS7160 |
| Wheelbarrow | 480-8 | 4 | Carlisle | 5130511 |

| | | | | |
|------------------|-------------|-----|-----------|---------|
| Golf Links | 18x8.50-8 | 4 | Carlisle | 5192711 |
| Golf Links Sport | 18x8.50-8 | 4 | Carlisle | 6L00661 |
| Golf Greensaver | 18x8.50-8 | 4 | Greenball | G8852R |
| Golf Fairway Pro | 18x8.50-8 | 4 | Carlisle | 5189761 |
| Golf Tour Max | 18.5x8.5r8 | LRB | Carlisle | 5191481 |
| Golf non-marking | 18.5x8.50-8 | LRC | Greenball | Z0874 |
| Golf towmaster | 18.5x8.50-8 | LRC | Greenball | T0874C |
| Golf Highway | 18.5x8.50-8 | LRC | Deestone | DS7106 |

| | | | | |
|-----------|------------|---|----------|---------|
| Super Lug | 13x5.00-6 | 2 | Carlisle | 5100201 |
| Super Lug | 14x4.50-6 | 2 | Carlisle | 5100251 |
| Super Lug | 16x6.50-8 | 4 | Carlisle | 5100961 |
| Super Lug | 18x9.50-8 | 2 | Carlisle | 5100801 |
| Super Lug | 20x10.00-8 | 4 | Carlisle | 510101 |

| | | | | |
|---------------|------------|---|----------|--------|
| HD Field Trax | 22X12-8 | 3 | Carlisle | 588389 |
| HD Field Trax | 22.5X10-8 | 3 | Carlisle | 5883B9 |
| HD Field Trax | 25X13-9 | 3 | Carlisle | 588394 |
| HD Field Trax | 18X8.50-10 | 4 | Carlisle | 5883U1 |
| HD Field Trax | 26X12.12 | 2 | Carlisle | 560467 |

TURF, TRAILER, & SPECIALTY TIRES



Specialty Tires

| Tread | Tire Size | Brand | Ply | Part # |
|-----------------|---------------|-----------|-----|------------|
| Turf Mighty Mow | 10-16.5 | Galaxy | | 135259 |
| R4 Industrial | 10-16.5 | | 10 | |
| F3 Industrial | 11L-15 | | 8 | |
| F3 Industrial | 11L-16 | | 8 | |
| Turf | 12.4-28 | Titan | 4 | 475412 |
| R4 Industrial | 12-16.5 | | 10 | |
| Turf Special | 12LL-16 | Galaxy | 6 | 480323 |
| Multi-Trac | 13.6-16 | Titan | 8 | 4743W0 |
| Turf | 14.9-24 | Galaxy | 6 | 550750-500 |
| Turf | 14.9-24 | Titan | 8 | 485834 |
| R1 Power Lug | 14.9-28 | Titan | 4 | 48D638 |
| Industrial Lug | 14.9L-24 | Titan | 8 | 486834 |
| 1 Rib Implement | 14L-16.1 | Titan | 8 | 410368 |
| 1 Rib Implement | 16.5L-16.1 | Galaxy | | 401630 |
| R4 Industrial | 16.9-24 | | 8 | |
| Turf | 16.9-26 | Titan | 8 | 485845 |
| Turf | 17.5-24 | Galaxy | 8 | 135433-48 |
| Industrial Lug | 17.5L-24 | Titan | 6 | 486803 |
| Turf | 18.4-16 | Titan | 16 | 485690 |
| Turf | 21.5L-16.1 | Galaxy | 4 | 401655 |
| Multi-Trac | 21.5L-16.1 | Titan | 6 | 4743D9 |
| Turf | 21.5L-16.1 | Firestone | 10 | 312770 |
| Turf | 21.5L-16.1 | Firestone | 4 | 355887 |
| Turf | 212/80D-15 | Firestone | 6 | 344575 |
| Turf Special | 22.5LL-16.1 | Galaxy | 10 | 480250 |
| Turf | 23.1-26 | Titan | 6 | 485086 |
| Turf Special | 25X10.50LL-15 | Galaxy | 6 | 551240-770 |
| Turf Special | 27X10.50-15 | Galaxy | 6 | 480151 |
| Turf Special | 27X12LL-15 | Galaxy | 6 | 551328-770 |
| Soft Turf | 27X12LL-15 | Titan | 6 | 4303M7 |
| Turf Mighty Mow | 27X8.50-15 | Galaxy | | 135141-70 |
| Multi-Trac | 27X8.50-15 | Titan | 6 | 474348 |
| Multi-Trac | 29X12.50-15 | Titan | 6 | 4743D4 |
| Soft Turf | 305-521 | Titan | | G3032K |
| Grizz LSW430 | 305R-343 | Titan | 10 | G30373 |
| Turf Special | 33X16LL-16.1 | Galaxy | 4 | 480243 |
| Multi-Trac | 36X13.50-15 | Titan | 14 | 474350 |
| Turf | 38X18.00-20 | Titan | 4 | 41G3F1 |
| Multi-Trac | 41X14.00-20 | Titan | 6 | 474323 |
| Turf Special | 41X18LL-16.1 | Galaxy | 6 | 480245 |
| Multi-Trac | 44X18.00-20 | Titan | 6 | 4743W1 |
| Multi-Trac | 44X18.00-20 | Titan | 4 | 474342 |
| Fork Lift | 690/600-9 | | 10 | |
| Fork Lift | 7.00-12 | | 12 | |
| Fork Lift | 8.25-15 | | 6 | |
| Turf | 9.5-16 | Goodyear | 6 | 4A7495 |
| Turf | 9.5-16 | Firestone | | 351776 |

Trailer Tires

- Radial Trail® HD - Radial trailer tire offers increased tire life.
- Sport Trail® - Bias construction with a radial look.
- Sport Trail LH - Perfect for boat, cargo, horse and stock, utility and specialty trailers.
- USA Trail - Complete line of bias products for applications requiring durable performance

| Tread | Tire Size | Brand | Part # |
|-----------------|-------------|-----------|----------|
| USA Trail | 480-8 | Carlisle | 519056 |
| USA Trail | 480-8 | Carlisle | 519058 |
| USA Trail | 570-8 | Carlisle | 591086 |
| USA Trail | 570-8 | Carlisle | 519087 |
| Sport Trail | 570-8 | Carlisle | 5193201 |
| Highway | 570-8 | Deestone | DS7256 |
| Towmaster | 570-8 | Greenball | T0864C |
| USA Trail | 16.5x6.5-8 | Carlisle | 519297 |
| USA Trail | 16.5x6.5-8 | Carlisle | 519298 |
| USA Trail | 18.5x8.5-8 | Carlisle | 519471 |
| Towmaster | 18.5x8.5-8 | Greenball | T0874E |
| USA Trail | 18.5x8.5-8 | Carlisle | 519472 |
| Highway | 18.5x8.5-8 | Deestone | DS7106 |
| USA Trail | 690-9 | Carlisle | 519572 |
| Highway | 500-10 | Deestone | DS7260 |
| USA Trail | 20.5x8.0-10 | Carlisle | 519141 |
| USA Trail | 20.5x8.0-10 | Carlisle | 519142 |
| Highway | 20.5x8.0-10 | Deestone | DS7111 |
| Towmaster | 20.5x8.0-10 | Greenball | T1026C |
| USA Trail | 20.5x8.0-10 | Carlisle | 519143 |
| Highway | 20.5x8.0-10 | Deestone | DS7113 |
| USA Trail | 20.5x8.0-10 | Carlisle | 519144 |
| USA Trail | 20.5x8.0-10 | Carlisle | 519145 |
| USA Trail | 480-12 | Carlisle | 519062 |
| Sport Trail LH | 480-12 | Carlisle | 6H01291 |
| USA Trail | 480-12 | Carlisle | 519063 |
| Sport Trail LH | 480-12 | Carlisle | 6H01301 |
| Highway | 480-12 | Deestone | DS7266 |
| Towmaster | 480-12 | Greenball | T1214C |
| USA Trail | 530-12 | Carlisle | 519076 |
| Sport Trail LH | 530-12 | Carlisle | 6H01391 |
| USA Trail | 530-12 | Carlisle | 519077 |
| Sport Trail LH | 530-12 | Carlisle | 6H01381 |
| Highway | 530-12 | Deestone | DS7271 |
| Towmaster | 530-12 | Greenball | T1228C |
| USA Trail | ST175/80D13 | Carlisle | 519161 |
| Sport Trail LH | ST175/80D13 | Carlisle | 6H01361 |
| Radial Trail HD | ST175/80D13 | Carlisle | 6H04511 |
| Highway | ST175/80D13 | Deestone | DS7275 |
| Sport Trail LH | ST185/80D13 | Carlisle | 6H01371 |
| Radial Trail HD | ST185/80D13 | Carlisle | 6H04531 |
| Sport Trail LH | ST185/80D13 | Carlisle | 6H02231 |
| USA Trail | ST205/75D14 | Carlisle | 519300 |
| Sport Trail LH | ST205/75D14 | Carlisle | 6H01351 |
| Radial Trail RH | ST205/75D14 | Carlisle | 519315 |
| Highway | ST205/75D14 | Deestone | 1408-901 |
| Radial Trail HD | ST205/75D14 | Carlisle | 6H04561 |
| USA Trail | ST215/75D14 | Carlisle | 519315 |
| Radial Trail HD | ST215/75D14 | Carlisle | 6H04571 |
| Sport Trail LH | ST215/75D14 | Carlisle | 6H01421 |
| Radial Trail HD | ST205/75D15 | Carlisle | 6H04591 |
| USA Trail | ST205/75D15 | Carlisle | 519400 |
| Sport Trail LH | ST205/75D15 | Carlisle | 6H01231 |
| Highway | ST205/75D15 | Deestone | DS7278 |
| USA Trail | ST225/75D15 | Carlisle | 519410 |
| Sport Trail LH | ST225/75D15 | Carlisle | 6H01401 |
| Radial Trail HD | ST225/75D15 | Carlisle | 6H04621 |
| Highway | ST225/75D15 | Deestone | DS7281 |
| Sport Trail LH | ST225/75D15 | Carlisle | 6H01411 |



Tru Power

- Tru Power tires are most often found on garden tractors, tillers and trenchers. This powerful line is the right choice whenever the application requires substantial traction.

| Tire Size | Ply | Part # |
|-------------|-----|---------|
| 18x8.50-10 | 4 | 5233111 |
| 23x8.50-12 | 4 | 523301 |
| 23x10.50-12 | 4 | 523367 |
| 26x12.00-12 | 4 | 523361 |
| 26x12.00-12 | 8 | 523360 |
| 29x12.50-15 | 6 | 5233D4 |
| 31x15.50-15 | 8 | 5233A4 |

AFFORDABLE



RDABLE

TURF & SPECIALTY TIRE



-  Denotes 1 Day Shipping
-  Denotes 2 Day Shipping
-  Denotes 3 Day Shipping

